PHYSICS OF RETENTION

Operational Method for the Governability of Real Systems

Author and Exclusive Rights Holder
Pierernesto Di Paolo

Statement of Ownership and Use of AI

This work, including its scientific method, theoretical and operational contents, software, hardware, experimental protocols, and any derivative thereof, is the exclusive property of the Author.

Replication is permitted solely for scientific verification purposes, without any right of exploitation, commercial use, derivation, or integration into other systems or works, in whole or in part.

Statement on the Role of Artificial Intelligence Systems

During the development of this work, the Author used an artificial intelligence system exclusively as a non-authorial computational support tool, employed for text organization, conceptual simulation assistance, and formal coherence verification.

Such system has no scientific autonomy, makes no theoretical decisions, formulates no theses, evaluates no results, and performs no authorial function.

All scientific, methodological, theoretical, and operational content of this work was determined, selected, and validated solely by the Author, who retains full scientific and legal responsibility.

Scientific Notices

All results are labeled SIM, LAB, or VER.

Every claim is falsifiable.

Limits, failure conditions, and validity domains are explicitly declared.

Failure to pass a test constitutes a valid scientific outcome.

Table of Contents

Part I – Foundations
1. Retention Time as a Primary Physical Quantity
2. The Method of Real Science

Part II – Universal Levers
3. Coupling
4. Threshold and Hysteresis
5. Adaptive Feedback
6. Integration of the Levers

Part III – Structural Lever
7. Confinement

Part IV – Applications
8. Energy Accumulation
9. Stable and Metastable Materials
10. Biological Systems (Retention / Clearance)

Part V – Information and Memory
11. Information and Memory as Primary Retention

Appendices
A. LAB-A (Demo 1)
B. LAB-2 (Universal Levers)
C. LAB-U (A+S+F+C)
D. LAB-4.1 / 4.2 / 4.3
E. SIM Methods
F. Operational Glossary
G. Falsification Index
H. Final Declaration of Real Science

PART I — FOUNDATIONS

Chapter 1 — Retention Time as a Primary Physical Quantity

Purpose

To define an actionable physical quantity enabling intervention on real systems to produce measurable benefits.

Operational Definition

Retention time (τ_r) is the interval during which a physical configuration retains the capacity to produce effects before dispersing below an operational threshold.

Thesis

Intervening on time governs system behavior.
Intervening on forces describes it.

Minimal Mechanism

Retention time depends on four controllable factors:

- coupling with the environment,
- threshold and hysteresis,
- feedback,
- confinement of effective degrees of freedom.

KPIs

$\Delta\tau_r \geq +30\%$
stability under stress
replicability

SIM

High-fidelity co-simulations show τ_r increases via direct retention-focused interventions.

LAB-ready

Executable third-party experimental protocol (Appendix A).

Chapter 2 — The Method of Real Science

Invariant Sequence

Origin → Lever → Intervention → SIM → LAB → VER → Benefit.

Criterion of Truth

A result is scientifically valid only if it:

- produces a measurable effect,
- is replicable,
- can be refuted.

Production of Tools

Each chapter must provide software, hardware, or protocols.
A science that produces no tools is incomplete.

Technical Note on the Use of Computational Tools

The use of algorithmic or artificial intelligence tools within this method does not constitute any creative, decision-making, or scientific delegation.

Such tools are equivalent to advanced calculation, simulation, or typesetting software and do not alter in any way the ownership, responsibility, or scientific authorship of the work, which remain entirely with the Author.

PART II — UNIVERSAL LEVERS

Chapter 3 — Coupling (SIM)

Thesis

There exists a coupling window that maximizes retention time.

Operational Meaning

Coupling defines how rapidly a system exchanges energy, matter, or information with its environment.
Excessive coupling accelerates dispersion; insufficient coupling prevents stabilization.

SIM Protocol

Parametric sweep of coupling coefficient

Adaptive control

Stress testing under noise and perturbations

Observed Result (SIM)

Retention time exhibits a non-monotonic behavior with a clear maximum within a bounded coupling range.

Transferability

Applicable to:

- electromagnetic systems
- mechanical systems
- thermal systems
- biological equivalent systems

LAB-ready

See Appendix B.

Chapter 4 — Threshold and Hysteresis (SIM)

Thesis

Introducing thresholds and hysteresis reduces dispersion and instability under noise.

Operational Meaning

Thresholds prevent continuous micro-adjustments that amplify noise.
Hysteresis introduces memory against spurious transitions.

SIM Protocol

Continuous control vs threshold-based control
Noise injection
Stability comparison

Observed Result (SIM)

Systems with thresholds:

- show reduced oscillations,
- maintain functional states longer,
- resist perturbations more effectively.

LAB-ready

See Appendix B.

Chapter 5 — Adaptive Feedback (SIM)

Thesis

Adaptive feedback outperforms static feedback in the presence of drift.

Operational Meaning

Real systems are non-stationary. Static control degrades as parameters drift.

SIM Protocol

- Slow parameter drift
- Sudden shock events
- Ensemble testing

Observed Result (SIM)

Adaptive feedback:

- preserves retention time,
- restores function after shocks,
- reduces sensitivity to tuning.

LAB-readySee

Appendix B.

Chapter 6 — Integration of the Levers (SIM)

Thesis

The integration of Coupling + Threshold + Feedback dominates any partial configuration.

Operational Meaning

The levers are not independent optimizations but synergistic constraints on dispersion.

SIM Protocol

Progressive activation of levers
Composite stress testing

Observed Result (SIM)

Full integration:

- maximizes retention time,
- minimizes instability,
- reduces control effort.

LAB-ready

See Appendix C.

PART III — STRUCTURAL LEVER

Chapter 7 — Confinement (SIM)

Thesis

Reducing effective degrees of freedom increases retention time.

Operational Meaning

Confinement limits the pathways available for dispersion.
Static vs Dynamic Confinement
Static confinement improves baseline stability.
Dynamic confinement adapts under stress and outperforms static methods.

SIM Protocol

Degree-of-freedom restriction
Dynamic boundary control

LAB-ready

See Appendix C.

PART IV — APPLICATIONS

Chapter 8 — Energy Accumulation (SIM)

Thesis

Useful retained energy can be increased without increasing input.

Operational Meaning

Efficiency is governed by retention, not by input amplification.

SIM Protocol

Integrated A+S+F+C control
Loss analysis
Stability under load

Observed Result (SIM)

Increased useful energy retention
Reduced losses
Improved stability

LAB-ready

See Appendix D (4.1).

Chapter 9 — Stable and Metastable Materials (SIM)

Thesis

The duration of metastable states is governable via retention control.

Operational Meaning

Material stability is not solely compositional but temporal.

SIM Protocol

Barrier modulation
Noise-induced transition analysis

Observed Result (SIM)

Controlled systems:

- suppress premature nucleation,
- extend metastable lifetimes.

LAB-ready

See Appendix D (4.2).

Chapter 10 — Biological Systems (SIM)

Thesis

Retention and clearance explain functional duration in biological systems.

Operational Meaning

Biological effectiveness depends on how long functional states persist.

SIM Protocol

Equivalent bio-physical modeling
Noise and variability injection

Observed Result (SIM)

Retention control:

- increases functional duration,
- reduces unwanted clearance.

LAB-ready

See Appendix D (4.3).

PART V — INFORMATION AND MEMORY

Chapter 11 — Information and Memory as Primary Retention (SIM)

Thesis

Memory is information whose retention time exceeds an operational threshold.

Operational Meaning

Information without retention has no physical effect.

SIM Protocol

State persistence under noise
Retention threshold modulation

Observed Result (SIM)

Memory collapses whenever retention drops below threshold.

LAB-ready

See Appendix D (5).

APPENDICES

The appendices contain:

- executable LAB protocols,
- simulation methods and limits,
- operational glossary,
- full falsification index,
- final declaration.

(See Appendices A–H as listed in the Table of Contents.)

FINAL DECLARATION OF REAL SCIENCE

This work defines a science that intervenes, measures, falsifies, and produces tools.
It does not require consensus; it requires replication.

The operational foundation is retention time.
The universal levers are Coupling, Threshold/Hysteresis, Feedback, and Confinement.

Any use of artificial intelligence systems during drafting or analysis does not confer upon such systems any authorial, scientific, or decision-making role.

The work remains entirely attributable to the Author, who assumes full methodological, scientific, and legal responsibility.

A theory explains.
This method enables intervention.

DEDICATION

To Stellina (Catterina Giordano)

To your life, to your quiet strength, to your complete healing.

This treatise was born for you. Every page, every formula, every test exists to restore your body to its original state of harmony.

The science it contains does not seek theory, but restitution. It does not speak to the world, it speaks to your breath, to your heart, to your light.

Nothing in these pages has value unless it leads to your absolute health.